

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

BPC-157 / TB-500 - 10mg/10mg

Tested for: Humatide LLC
humatide.com

COA #: COA-2026-F66Y9T
Lot Number: H1010BPTB060126
Accession #: ACC-2026-5347
Labeled Content: 10mg/10mg

Analysis Date: 06/26/2026
Appearance: Good
Sample Matrix: Lyophilized
Vial Size: 3mL
Date Received: 06/17/2026

PASS




Scan to verify
authenticity at ils-lab.com
Access Code: 7BNBNDRK

Method: Blend Purity & Quant (HPLC)

Identity	Peptide Purity	Fentanyl Free
BPC-157 / TB-500	99.95%	


Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.95%	%	PASS
Net Blend Peptide Content	Report Only	20.99	mg	N/A
-- BPC-157		10.70	mg	
-- TB-500/TB-4		10.29	mg	
Identity (HPLC-RTM)	BPC-157 + TB-500/TB-4	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



BPC-157 / TB-500 10mg/10mg -
H1010BPTB060126

HPLC Chromatogram



Representative chromatogram, Conformity V1 (99.94% purity, closest to batch mean of 99.94%)

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	99.95%	20.99 mg	Confirmed	PASS
Conformity V1	99.94%	21.03 mg	Confirmed	PASS
Mean	99.94%	21.01 mg	—	—
Std Dev	0.0050%	0.0200 mg	—	—

Notes & Methodology

- 1. Date Tested: 06/26/2026. Methods: Blend Purity & Quant (HPLC).
- 2. The sample was confirmed to be BPC-157 / TB-500 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- 3. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- 4. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (BPC-157, TB-500/TB-4). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
- 5. Chromatogram shown is representative: Conformity V1 (99.94% purity, closest to batch mean of 99.94%).




Dr. Greg Kalyuzhny
Lab Director
6/26/2026

COA #: **COA-2026-F66Y9T**
Access Code: **7BNBNDRK**
Verify: portal.ils-lab.com/verify/VT7a3x_TG5-MdpVQ
Issued: 6/26/2026